

Archaeological Predictive Modeling Project at The North Carolina Department of Transportation

2005 NC GIS Conference Matt Wilkerson and Brian Overton March 4, 2005



PROJECT GOALS (Long-Term)

- Digitize cultural information for the 3 physiographic provinces of North Carolina.
- Update and convert all existing OSA site files to MS Access database. Digitize all site and survey area data into GIS.
- Develop GIS archaeological predictive models.
- Create WWW-compatible GIS application for NCDOT and OSA Staff Use.
- Apply GIS archaeological predictive models to multiple corridor transportation projects (aid in preferred selection through alternatives analysis).









PROJECT STRUCTURE

Task 1

- Update archaeological database to help in the modeling process.
- Collect and convert historic and prehistoric data for the initial pilot study area.
- Collect environmental GIS data to help in the modeling process.

Task 2

- Develop GIS Prehistoric Archaeological Predictive Models for the pilot study area.
- Create WWW-compatible GIS application for for NCDOT and OSA Staff Use.

Future Tasks

• Continue process across North Carolina.










Current Project Area












Database Migration Plan











Database

☑ North Carolina Office of State Archaeology Site Database						
<u>F</u> ile	Edit	<u>V</u> iew <u>I</u> nsert	F <u>o</u> rmat <u>R</u> e	cords <u>T</u> ools	Type a question for	help 🔻
₩ +		📆 🎒 🚨 💖	X 🖺 🗈	n 🚇 Å↓	[計 沙 茵 ▽ 桷 ▶* 冰 ☎ 匝 塩 → □ 및 .	
		SITE FORM VIII				
				MORTH	H CAROLINA ARCHAEOLOGICAL SITE FORM 8.0 OFFICE OF	
		CLOSE		NOICHT	STATE ARCHAEOLOGY	
		SELECT RECO	ORD		NEW RECORD SAVE RECORD DELETE RECORD PRINT PREVIEW	
		TO EDIT			SAVE RECORD DELETE RECORD PRINT PREVIEW	
		Site Location	Site Locati	ion (Continue	ed) Environment Cultural Cultural (Continued) Administration Comments	
	SITE ID SITE NAME(S):			LAST DATE SAVED:		
				OTHER SITE NUMBER:		
			ON ASSIGNING:		PROJECT SITE NUMBER:	
		SITE COMP			SITE REMAINS:	
		311E COMP		N INFORMATION		
			DITE EOCATION	VIIVI OKNIMITOIV	LOCATION INFORMATION	
			COUNTY		▼ QUAD MAP	
				ORDINATE		
			SYSTEM		MAP UNITS V	
			MAP ZON	NE	MAP EASTING	
			MAP DAT	TUM	MAP NORTHING	
					GPS LOCATION INFORMATION	
				ORDINATE		
			SYSTEM		GPS UNITS	
			GPS ZON	ie <u> </u>	GPS EASTING	
			GPS DATU	JM	GPS NORTHING	
		CDC-D.	ATA DOCT DDOC	TCCEDO.	RESULT OF COMPLIANCE	
Form V	liou				NUMÍ	
Form View NUM						
All						

•26,000
Records in
UniVerse
Database
•30 Parent
Tables
•52 Lookup
Tables










Digitization Process

Scanning



Georeferencing

Feature Extraction














Feature Extraction Results



- 7,103
 Polygons
- 5,179 Points
- 2,184 Lines
- 14,466
 Features
 Total









Historic Maps




- Scanned 421 Historic Maps
- •Digitized 20th Century Soils Maps (7), 19th Century County Maps (2), and Statewide Maps (2)





Collection of GIS Data for the Model

- NCDOT,
 CGIA, and
 various Federal,
 State, and local
 sources were
 reviewed
- A total of 372
 data layers
 acquired,
 reviewed, and
 catalogued











Task 2 Work (In Progress)

3 Main Objectives:

- •Prehistoric Archaeological Site Predictive Modeling
- Decision Support Mechanism (WWW-based GIS Application)
- •Further alterations to the OSA Site Form Database









Variables Considered for Modeling (Literature Review)

- Elevation
- •Slope
- Aspect
- Aspect N/S
- Aspect E/W
- Solar Radiation
- Distance to Water
- Vertical Distance to Water

- Cost Distance to Water
- Distance to Confluences
- Cost Distance to Confluences
- Topographic Variation
- ·Soils
- •Landuse Variables










- Elevation
- Aspect Variables
- Cost-Distance to Water Variables
- Cost-Distance to Confluences Variables
- Distance to Confluence Variables
- Distance to Water Variables
- Slope
- Solar Radiation
- Topographic Variation Variables












- Elevation
- Aspect Variables
- Cost-Distance to Water Variables
- Cost-Distance to Confluences Variables
- Distance to Confluence Variables
- Distance to Water Variables
- Slope
- Solar Radiation
- Topographic Variation Variables








N★C

- Elevation
- Aspect Variables
- Cost-Distance to Water Variables
- Cost-Distance to Confluences Variables
- Distance to Confluence Variables
- Distance to Water Variables
- Slope
- Solar Radiation
- Topographic Variation Variables








ENVIRONMENTAL VARIABLES

ANALYZED

- Elevation
- Aspect Variables
- Cost-Distance to Water Variables
- Cost-Distance to Confluences Variables
- Distance to Confluence Variables
- Distance to Water Variables
- Slope
- Solar Radiation
- Topographic Variation Variables












ENVIRONMENTAL VARIABLES

ANALYZED

- Elevation
- Aspect Variables
- Cost-Distance to Water Variables
- Cost-Distance to Confluences Variables
- Distance to Confluence Variables
- Distance to Water Variables
- Slope
- Solar Radiation
- Topographic Variation Variables












- Elevation
- Aspect Variables
- Cost-Distance to Water Variables
- Cost-Distance to Confluences Variables
- Distance to Confluence Variables
- Distance to Water Variables
- Slope
- Solar Radiation
- Topographic Variation Variables












- Elevation
- Aspect Variables
- Cost-Distance to Water Variables
- Cost-Distance to Confluences Variables
- Distance to Confluence Variables
- Distance to Water Variables
- Slope
- Solar Radiation
- Topographic Variation Variables













MODEL DEVELOPMENT

- Coordinated with Ken Kvamme (U. Arkansas)
- Spatial Statistics of sites and different variables
- Logistic Regression
- GIS Analysis
- Creation of Initial Model of High/Medium/Low Site Probability











N★C

ELIMINATING REDUNDANT AND USELESS VARIABLES

Using a combination of Pearson's Correlation and the K-S Test, we eliminated variables that provided redundant information or would not add to the predictive model.

- Aspect East/West
- Aspect North/South
- Cost Distance to Water 100
- Cost Distance to Water 1000
- Cost Distance to Water 10000
- Cost Distance to Confluence 1000
- Cost Distance to Confluence 10000
- Distance to Stream Confluence 500
- Elevation (NED)
- Slope (NED)
- Topographic Variation










7-COUNTY MODEL




Variables Include: Aspect NS, Cost-Distance to Water_100, Cost Distance to Confluence 1000 NCDCII d 10000, Slope, and Topographic Variation.







RANDOLPH COUNTY MODEL




Variables Include: Cost-Distance to Water_100 and 10000, Cost Distance to Confluence 1000 NCD and 10000, Slope, and Topographic Variation.







ASHEBORO QUAD MODEL



Variables Include: Cost-Distance to Water 1000, Cost Distance to Confluence 1000, and Slope.









N*C

QUESTIONS OF MODEL SCALE AND PRECISION


- •One single model is consistent, but probably less robust
- •County level models may be more locally precise but have edge effects
- •Quad level models even more so with lower sample size?
- •How to balance these?




7-county Model



County Model












Testing and Validation


- Test and compare all models against:
 - 10% withheld sample (484 points)
 - UNC Diagnostic database
 - Sites on edges of quads that were digitized but not used in the analysis
 - Eventually testagainst field work onAsheboro bypass







Example of Model and Use












Decision Support Mechanism

FIGURE 1 DATA FLOW AND MODEL USE




- DATA ENTRY AND ACCESS DATABASE TO BE MAINTAINED BY OSA
- VECTOR UPDATES GENERATED BY NCOSA
- (3) QUARTERLY VECTOR DATA UPDATES BY NCOSA TO NCDOT. NCDOT TO UPLOAD UPDATED SHAPEFILES.
- ARCIMS SECURITY PROVIDED BY NCDOT. ARCIMS SITE TO RESIDE ON NCDOT SERVER

P:\2000\2000-217\TASK2












🎒 Map: 588174.71 , 207408.03 -- Image: 796 , 287 -- ScaleFactor: 124.67093678219922




NCDOT APM - Randolph County






Links 🙆 Customize Links 🍓 Free Hotmail 🙋 Windows Media 🙋 Windows

NCDOT APM - Randolph County



200111







Affect on Transportation Planning for NCDOT

- Reduced disturbance to cultural resources.
- Increased efficiency (effort and scheduling).
- Modeling archaeological sites to predict impacts early in the planning process (NEPA and Section 106).
- Alternate route analysis.
- Cost savings.







